

a server that transmits the structured address book to the terminal apparatus when a request for the address book is received from the terminal apparatus, the address book being displayable at the terminal apparatus; and

a controller that controls the address book to change a content of the address book in accordance with an instruction from the terminal apparatus.

21. The communication apparatus according to claim 20, wherein said controller deletes a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

A1 22. The communication apparatus according to claim 20, wherein said controller adds a destination address into the address book, in accordance with an instruction from the terminal apparatus.

23. The communication apparatus according to claim 20, wherein said controller edits a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

24. The communication apparatus according to claim 20, wherein the address book includes telephone numbers as the destination addresses.

25. The communication apparatus according to claim 20, wherein the address book includes e-mail addresses as the destination addresses.

26. The communication apparatus according to claim 20, wherein the address book includes a destination name and a type of communication, of each destination address, the

P17947.A07

type of communication indicating one of a facsimile communication and an e-mail communication.

27. The communication apparatus according to claim 20, said server transmitting the structured address book and menu items to the terminal apparatus, wherein the structured address book and the menu items are displayed as single image at the terminal apparatus, the menu items being utilized to change a content of the address book.

28. The communication apparatus according to claim 27, the menu items comprising an adding key that adds a destination address.

29. The communication apparatus according to claim 27, the menu items comprising a deleting key that deletes a destination address.

30. The communication apparatus according to claim 27, the menu items comprising an edit key that instructs editing a destination address.

31. The communication apparatus according to claim 20, wherein the terminal apparatus comprises a personal computer.

32. A communication apparatus connected to a terminal apparatus via a network, the communication apparatus comprising:

- a memory that stores image data and a storage period of the image data;
- a checking section that determines whether a storage time of the image data exceeds the storage period time;
- a deleting section that deletes image data based on a determination by said checking section; and

a server that transmits an instruction for changing the storage period to the terminal apparatus in accordance with a request by the terminal apparatus, wherein the storage period is changeable from the terminal apparatus.

33. The communication apparatus according to claim 32, the instruction including an image file.

34. The communication apparatus according to claim 33, wherein said server transmits the image file, including a plurality of predetermined periods, and changes a storage period in accordance with a designation of one of the predetermined periods of the image file at the terminal apparatus.

35. The communication apparatus according to claim 33, wherein the image file comprising a HTML file.

36. The communication apparatus according to claim 32, wherein the storage period is changeable for a group of a plurality of image data by a single instruction.

37. The communication apparatus according to claim 32, wherein the image data comprises facsimile data transmitted by a facsimile communication via a telephone network.

38. The communication apparatus according to claim 32, wherein the image data comprises e-mail data transmitted by an e-mail communication via the network.

39. A communication method using a communication apparatus connected to a terminal apparatus via a network, comprising:

storing an address book including a plurality of destination addresses into a memory, the destination addresses being stored as a structured document;

P17947.A07

transmitting image data to a designated destination address stored in the address book, the image data being transmitted via at least one of the network and a telephone network;

transmitting the structured address book to the terminal apparatus when a request for the address book is received from the terminal apparatus, the address book being displayable at the terminal apparatus; and

controlling the address book to change a content of the address book in accordance with an instruction from the terminal apparatus.

40. The communication method according to claim 39, wherein the controlling deletes a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

41. The communication method according to claim 39, wherein the controlling adds a destination address into the address book, in accordance with an instruction from the terminal apparatus.

42. The communication method according to claim 39, wherein the controlling edits a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

43. The communication method according to claim 39, wherein the address book includes telephone number as the destination address.

44. The communication method according to claim 39, wherein the address book includes e-mail address as the destination address.

P17947.A07

45. The communication method according to claim 39, wherein the address book includes a destination name and a type of communication, of each destination address, the type of communication indicating one of a facsimile communication and an e-mail communication.

46. The communication method according to claim 39, further comprising transmitting the structured address book and menu items, wherein the structured address book and the menu items are displayed as single image at the terminal apparatus, the menu items being utilized to change a content of the address book.

47. The communication method according to claim 46, wherein the menu items comprises adding a destination address.

48. The communication method according to claim 46, wherein the menu items comprises deleting a destination address.

49. The communication method according to claim 46, wherein the menu items comprises editing a destination address.

50. A communication method using a communication apparatus connected to a terminal apparatus via a network comprising:

storing image data and a storage period of the image data;

determining whether a storage time of the image data exceeds the storage period;

deleting image data based on a result of the determination; and

P17947.A07

transmitting an instruction for changing the storage period to the terminal apparatus in accordance with a request by the terminal apparatus, wherein the storage period is changeable from the terminal apparatus.

51. The communication method according to claim 50, the instruction including an image file.

52. The communication method according to claim 51, wherein the transmitting transmits the image file including a plurality of predetermined periods, and changes a storage period in accordance with a designation of one of the predetermined periods of the image file at the terminal apparatus.

53. The communication method according to claim 51, wherein the image file comprises a HTML file.

54. The communication method according to claim 50, wherein the storage period is changeable for a group of a plurality of image data by a single instruction.

55. The communication method according to claim 50, wherein the image data comprises facsimile data transmitted by a facsimile communication via a telephone network.

56. The communication method according to claim 50, wherein the image data comprises e-mail data transmitted by an e-mail communication via the network.---

---

REMARKS

The Examiner is respectfully requested to enter the foregoing amendment prior to examination of the above-identified patent application.